


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:	
PART NO: LCB3216-800Y-N				DWG.NO: TE9907881	
CUSTOMER PART NO:				CUST.DWG.NO:	
(1) DIMENSIONS (UNIT: mm) 				A	3.2 ± 0.2 m/m
				B	1.6 ± 0.2 m/m
				C	1.1 ± 0.2 m/m
				D	0.5 ± 0.3 m/m
				E	m/m
				F	m/m
				G	m/m
				H	m/m
				I	m/m
				J	m/m
(2) ELECTRICAL REQUIREMENTS					
Z (Ω)	80 ± 25%	TEST FREQ	100MHz / 100mV		
RDC (Ω)	0.03 (MAX)	TEST FREQ			
IDC (mA)	4000 (MAX)	TEST FREQ			
TEST INSTRUMENTS HP 4338A MILLIOHMMETER HP 4291B RF IMPEDANCE / MATERIAL ANALYZER				APPROVED BY 吳載敏	
				CHECKED BY 張明德	
				DRAWN BY 黃慧診	

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: LCB3216-800Y-N					DWG.NO: TE9907881				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)		DIMENSION (UNIT : mm)				
FREQ	100MHz /100mV				A	B	C	D	
SPEC	80 ± 25%	0.03 (MAX)	4000 (MAX)		3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3	
1	80.0	0.013	OK		3.23	1.65	1.09	0.50	
2	90.4	0.012	OK		3.20	1.63	1.09	0.54	
3	91.3	0.012	OK		3.20	1.64	1.09	0.50	
4	83.1	0.012	OK		3.22	1.61	1.10	0.52	
5	79.6	0.012	OK		3.21	1.6	1.12	0.55	
6	89.9	0.012	OK		3.21	1.63	1.10	0.53	
7	82.2	0.011	OK		3.24	1.62	1.10	0.50	
8	85.4	0.013	OK		3.24	1.62	1.10	0.51	
9	85.8	0.013	OK		3.20	1.61	1.11	0.52	
10	88.8	0.012	OK		3.23	1.61	1.11	0.52	
X	85.7	0.012			3.22	1.62	1.10	0.52	
R	11.7	0.002			0.04	0.05	0.03	0.05	
						APPROVED BY 吳載敏			
						CHECKED BY 張明德			
						DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB3216-800Y-N

