





REVISION RECORD				
REV	ECO	DESCRIPTION	DRFT	DATE
△		增加限位结构	CW	05/18/09




# Notes:

1. Rated voltage/current: UL1059 600V/10A  
IEC 800V/18A
2. Operation temperatures: -40°C ~ +105°C
3. Withstanding Voltage: AC3000V/1Min
4. Insulation Resistance: 5000M $\Omega$  /DC1000V
5. Wire Range: 28~16AWG, 1.5mm<sup>2</sup>
6. Undimensioned Tolerances:

Pitch range in mm			Nominal dimension range in mm					
to	over	over	to	over	over	over	over	
6	6 to 10	10 to 24	30	30 to 60	60 to 100	100 to 150	150	⌒
±0.10	±0.15	±0.25	±0.2	±0.3	±0.5	±0.7	±1.0	⬡

3	WS 1.5-Shrapnel	X000001700(H)	3	Stainless Steel									
2	WS 1.5-TW-Current Carrier	6129B00010(H)	1	Copper	Sn								
1	WS 1.5-TW-Housing	6129A0Y01A(H)	1	PA66	UL94V-0								
ITEM	NAME OF PART	NO. OF PART	Q'TY	MATERIAL	NOTES								
DETACHED LISTS	 MM (INCH)		DFTO Yangys		DATE 10/23/08"								
	TOLERANCES EXCEPT AS NOTED		CHKD		DATE								
			MFO		DATE								
	<table><tr><td>MM</td><td></td></tr><tr><td>.0 ±</td><td>±</td></tr><tr><td>.00 ±</td><td>±</td></tr><tr><td>.000 ±</td><td>±</td></tr></table>		MM		.0 ±	±	.00 ±	±	.000 ±	±	APPVL		DATE
			MM										
	.0 ±	±											
	.00 ±	±											
	.000 ±	±											
			MATERIAL :										
	ANGLES ± 1°		G.E :										
		FINISH :											
		SCALE :											
		DO NOT SCALE DRAWING		SHEET 1 OF 1									

 <b>DEGSON</b> ®		宁波高正电子有限公司 DEGSON ELECTRONICS CO., LTD	
NAME WS 1.5-TW-01P-1Y-00A(H)			
DRAWING NO. WS 1.5-TW-E01		SIZE A3	REV T1 05/18/09
/PART NO.			